



PROJECT NAME: \_\_\_\_\_

# PUBLIC IMPROVEMENT CONSTRUCTION PLAN

## APPLICATION & CHECKLIST SUBMITTAL PACKET

### CONTENTS

General Information .....	2
Helpful Links.....	2
Contact Information.....	2
Instructions.....	2
Application Type.....	2
Process Overview – Alternative/Expedited Procedure .....	3
Process Overview – Standard Procedure .....	3
Required Items For Application Submittal.....	4
Project Information .....	4
Application Fee Calculation.....	5
Uploaded Document Requirements.....	6
Completeness Review Requirements.....	6
Construction Plan Review Process.....	7
Applicant Information .....	9
Public Improvement Construction Plan Checklist .....	10
Final Submittal Review – Alternative Review Procedure.....	18
Requirements For Issuance Of Construction Plan Permit.....	18
Conflict Of Interest Disclosures.....	19
Alternative Review / Expedited Procedure Request.....	20
30 Day Waiver Request .....	21

## GENERAL INFORMATION

- Construction Plans are the third step in the subdivision process. These plans include all public improvements needed for a subdivision. This application may also be used for offsite public improvements.
- A Preliminary Plat is required to be approved prior to the submittal of the Construction Plans as part of the long form process. A Preliminary Plat is not required if non-subdivision related Construction Plans are proposed.
- Construction plans may be submitted for review and approval simultaneously with a Final Plat only if the applicant elects to seek approval under the Alternative Review/Expedited Procedure. In addition, the Final Plat shall not be approved until the Construction Plans have been approved. If the Construction Plans and the Final Plat are to be reviewed simultaneously, a complete application for Construction Plans and a complete application for Final Plat must be submitted to the City simultaneously.
- If a TIA was required for the submittal of the concept plan or preliminary plat, an update to the TIA is required to be submitted concurrently with the construction plans. A scoping meeting with the City Engineer is required prior to submittal.
- If the construction plans do not conform to the approved preliminary plat, a redline document identifying all changes shall be provided and approved prior to the submittal of the final plat application. Staff will determine if the changes require a formal revision to the preliminary plat.

## HELPFUL LINKS



- Development Services – [www.leandertx.gov/ds](http://www.leandertx.gov/ds). Includes links to the following:
  - Development Process – Applications, Submittal Schedule
  - Planning Department: Zoning, Subdivision, Site Development, Current Developments
  - Building Permits & Inspections: Building Permits, Impact Fees
  - Engineering Department
  - Maps & Guides – Comprehensive Plan, Transportation Plan, Development Guide, Transportation Criteria Manual, Drainage Criteria Manual
- Fire: [www.leandertx.gov/fire](http://www.leandertx.gov/fire)
- Parks: [www.leandertx.gov/parksrec](http://www.leandertx.gov/parksrec)
- Development Hub – Application Portal: [www.leandertx.gov/hubgo](http://www.leandertx.gov/hubgo)

## CONTACT INFORMATION

Please contact the Development Services Department by emailing [planning@leandertx.gov](mailto:planning@leandertx.gov) with any questions regarding this application.

## INSTRUCTIONS

- Fill out the following application and checklist completely prior to submission.
- Current applications and City ordinances may be found on the City's website ([www.leandertx.gov](http://www.leandertx.gov)) or at City Hall.
- The applicant is **required** to attend a Pre-Development Meeting prior to the submittal of the application or request/receive a Due Diligence Report. This requirement may be waived if the Director of Development Services deems that it is not necessary. Please contact the Planning Department to schedule the meeting by emailing [planning@leandertx.gov](mailto:planning@leandertx.gov).
- Please refer to the "Submittal Schedule" for submittal deadlines. Applications may be submitted through the Development Hub at anytime for preview. Once all items are confirmed and accepted, the review process will start on the next available filing date as listed in the submittal schedule.
- If the property is located within the ETJ of Travis County, concurrent review of the application is required with the County.
- For projects located within the Lake Travis watershed, the Construction Plans shall be provided to the Lower Colorado River Authority (LCRA) for compliance with the Lake Travis and Upper Highland Lakes Nonpoint Source Pollution Control Ordinance. The applicant shall be responsible for any additional information required by the LCRA for the necessary approvals.
- This application only applies to public improvement projects for infrastructure to be dedicated to the City.
- All items listed in the "Required Items for Application Submittal" on [page 4](#) shall be uploaded to the Development Hub.

## APPLICATION TYPE


SUBDIVISION RELATED CONSTRUCTION PLANS:

NAME OF SUBDIVISION \_\_\_\_\_


NON-SUBDIVISION RELATED CONSTRUCTION PLANS:

PROJECT NAME \_\_\_\_\_

## PROCESS OVERVIEW – ALTERNATIVE/EXPEDITED PROCEDURE



## PROCESS OVERVIEW – STANDARD PROCEDURE



## REQUIRED ITEMS FOR APPLICATION SUBMITTAL

REQUIRED ITEMS

**PROVIDED**

*Check each box if you have complied with that item. This application/checklist is only a guide. All state and local ordinances and code requirements cannot be reflected on this application/checklist. If there are any questions regarding the regulations, the applicant shall consult source law.*

- 1. Completed and signed application & checklist with the owner's signatures.
- 2. Construction Plans (24"X36" sheets or 22"X34") at a generally accepted horizontal and vertical engineering scale.
- 3. Deed showing current ownership. Proof of signatory for corporations is required.
- 4. Certified tax certificate.
- 5. Support documents such as TIA, Drainage Reports, Lift Station Reports, Geotechnical Report, HEC Models, etc.
- 6. Letter explaining any proposed development agreements that have not been executed (if applicable). If there is an existing Development Agreement, provide the name:  
\_\_\_\_\_
- 7. Is development proposed within the floodplain?  Yes  No  
If yes, the floodplain development application is required to be submitted concurrently with the Construction Plans.
- 8. Is this plan subject to a PUD?  Yes  No  
If yes, provide the name: \_\_\_\_\_
- 9. Are any offsite or separate instrument easements required?  Yes  No  
If yes, either provide the recordation number on the plans or provide the application for review.
- 10. Is there a Traffic Impact Analysis (TIA) associated with this project?  Yes  No  
If so, please contact the City Engineer to confirm if an updated is needed.
- 11. Certified estimate of cost of construction.
- 12. Development meeting notes, confirmation that a meeting was not required, or Due Diligence Report.
- 13. Application Fees (calculation listed on [page 7](#)).

## PROJECT INFORMATION

_____ Linear Feet of Water	_____ Linear Feet of Wastewater
_____ Linear Feet of Stormwater	_____ Linear Feet of Other Similar Improvement
_____ Linear Feet of Other Similar Improvement	
_____ Square Feet of Sidewalk	_____ Square Feet of Streets
_____ Square Feet of Deceleration Lanes	_____ Square Feet of Other Similar Improvement
_____ Square Feet of Other Similar Improvement	
_____ Number of Traffic Signals	_____ Number of Traffic Signals to be modified
_____ Number of Lift Stations	_____ Number of Booster Pump Stations

## APPLICATION FEE\* CALCULATION

### SUBDIVISION RELATED PLANS

(Construction Plans that are associated with the long form platting process)

	\$1,500 per acre for the first 100 acres:	\$ _____
<b>FILING FEE</b>	\$1,000 per acre for the next 150 acres:	+ \$ _____
	\$500 per acre for each acre over 250 acres:	+ \$ _____
	<hr/>	
<b>INSPECTION FEES</b>	\$2,500 per acre for the first 100 acres:	+ \$ _____
	\$1,500 per acre for the next 150 acres:	+ \$ _____
	\$1,000 per acre for each acre over 250 acres:	+ \$ _____
	<hr/>	
	Professional Recovery Fee:	\$250.00
	Technology Fee:	\$25.00
<b>TOTAL FEE</b> (due at the time of application submission):		<b>\$ _____</b>

### NON-SUBDIVISION RELATED PLANS

(Offsite improvements required for any improvement which lies outside of the property being developed)

	\$2.50 per linear foot per improvement (drainage, water, wastewater, or other similar improvement):	\$ _____
<b>FILING FEE</b>	\$2.50 per square foot of sidewalks, decel lanes, streets, or other similar improvement):	+ \$ _____
	\$10,000 per traffic signal or signal modifications:	+ \$ _____
	\$20,000 per lift station:	+ \$ _____
	\$10,000 per booster pump station:	+ \$ _____
<hr/>		
<b>INSPECTION FEES</b>	\$7.50 per linear foot per offsite infrastructure improvement item (streets, drainage, water, wastewater, or similar item):	+ \$ _____
	\$5.00 per square foot of sidewalk, decel lanes, streets, or similar improvement):	+ \$ _____
	\$25,000 per traffic signal or signal modification:	+ \$ _____
	\$100,000 per lift station:	+ \$ _____
	\$40,000 per booster pump station:	+ \$ _____
<hr/>		
	Professional Recovery Fee:	\$250.00
	Technology Fee:	\$25.00
<b>TOTAL FEE</b> (due at the time of application submission):		<b>\$ _____</b>

\* An invoice for application fees will be provided during the completeness check. All fees shall be paid prior to the acceptance of the submittal for review.

#### RESUBMITTAL FEES:

- Standard Review Procedure: A resubmittal fee in the amount of \$1,000 is due after the first resubmittal.
- Alternative Review Procedure: A resubmittal fee in the amount of \$500 is due for each submittal after the 3<sup>rd</sup> review.

## UPLOADED DOCUMENT REQUIREMENTS

---

1. All documents shall be in PDF format, using Arial font with a minimum resolution of 300 dpi. Additional items that are needed to support engineering studies may be submitted in their native format. (i.e. HEC Models, AutoCAD files etc)
2. All PDFs of plat documents shall be exports from AutoCAD and not scans of a printed document.
3. All PDFs shall be bookmarked.
4. All sheets must be facing the correct direction and pages shall be bookmarked with the title on each page.
5. Each upload shall include a descriptive name of the file including the associated number from the “Required Items” list on [page 4](#). Examples:
  - The application shall be identified as the application and include the creation date in MM.DD.YYYY format:
    1. Application 06.13.2022
  - The Construction Plan shall be identified as the PICP and include the creation date in MM.DD.YYYY format:
    2. Project Name PICP 06.13.2022
  - Corrections shall include the version number in the title:
    2. Project Name PICP V2 06.13.2022

## COMPLETENESS REVIEW REQUIREMENTS

---

The completeness review is a preview of the submittal package to confirm that the required documents and information have been submitted in order to confirm that the application is ready for review by City Staff.

The minimum required items are listed below for the first submittal of the application.

1. All items listed above in the “Required Items for Submittal Package” list shall be included.
2. All plan sheets shall meet the format listed in the “General Section” below on [page 9](#).
3. All documents shall be legible.
4. Blank or pending sheets will not be accepted.

The minimum required items are listed below for the second and any other resubmittals.

1. Plans, comment letters, and other items listed in the comment letter.
2. Comment response letters shall include an explanation of how the comments were addressed. Responses such as “pending” or “noted” will NOT be accepted.
3. Any changes made by the applicant that were not requested by the reviewers shall be identified at the beginning of the comment letter.
4. Any required resubmittal fees.

## CONSTRUCTION PLAN REVIEW PROCESS

The applicant has the option to select the Alternative Review Procedure or Standard Review Procedure.

1. The Alternative Review Procedure is an expedited review that allows for staff to provide comments and receive resubmittals administratively.
2. The Standard Review Procedure requires that the review comments are issued within 30 days as part of the action taken by the Planning & Zoning Commission.

If the applicant selects the Alternative Review Procedure, then the attached request form on [page 19](#) must be executed. If the applicant selects the Alternative Review Procedure, they have the right to switch to the Standard Review Procedure by written request submitted on the day designated for acceptance of application in the Submittal Schedule. The applicant has the right to request a waiver to extend the review time by 30 days. This request needs to be reviewed at the time of application submittal.

**The Alternative Review Procedure is required if concurrent reviews are proposed.**

### ALTERNATIVE REVIEW PROCEDURE – EXPEDITED PROCESS


1. Submit required items through the Development Hub. These documents may be submitted at any time for preview. Once all required documents are confirmed, the application will be reviewed for completeness within 10 business days of the submittal date. If the application substantially fails to meet the minimal informational requirements, then it will not be accepted for review.

If the application is determined to be complete, then it will be distributed for technical and content review (see requirements on [page 5](#)) in compliance with the submittal schedule.

2. A comment letter will be generated within 20 business days of the filing date and sent to the applicant. If the application is disapproved, then the letter will list the deficiencies with Code references.
3. The applicant will resubmit the corrected plan set for review. Submittals may be submitted at any time, but will be accepted for review based per the adopted Submittal Schedule. The resubmittal will be reviewed for completeness within 5 business days. A complete submittal shall include the following:
  - a. Updated plans & supporting documents/materials
  - b. Written response letter identifying how the comments were addressed
  - c. Resubmittal fee (after the third resubmittal)

**If the items above are not provided, the re-submittal will be NOT be accepted.**

4. A comment letter will be generated within 10 business days of the filing date. If the application is disapproved, the letter will list the deficiencies with Code references.
5. This process repeats until all comments are cleared.
6. If the comment letter indicates that the applicant is eligible for a final submittal review, please upload the following items:
  - a. Updated plans & supporting documents/materials
  - b. Comment response letter identifying how the comments were addressed
7. If the application is approved, then the final plan set needs to be submitted and routed for signatures.
8. The City will sign the plans and return them to the applicant. The following items will need to be submitted to schedule a pre-construction meeting:
  - a. 2 collated and stapled final copies of the signed plans.
  - b. A scanned copy of the plans - scanned at 300 dpi, uncompressed format TIF to the original approved scale.
  - c. A digital version final copies of all support documents (Drainage Studies, Lift Station Reports, etc)
  - d. SWPPP (Reviewed by the Stormwater Inspector)
  - e. Outstanding Fees
  - f. Pre-construction meeting request form
9. A permit will be issued during the pre-construction meeting and construction may start after the issuance of the permit and inspection of erosion controls.



## STANDARD REVIEW PROCEDURE


1. Submit required items through the Development Hub. These documents may be submitted at any time for preview. Once all required documents are confirmed, the application will be reviewed for completeness within 10 days of the submittal date. If the application substantially fails to meet the minimal informational requirements, then it will not be accepted for review.

If the application is determined to be complete, then it will be distributed for technical and content review (see requirements on [page 5](#)) in compliance with the submittal schedule.

2. A disapproval or approval letter will be generated within 30 days of the filing date and scheduled for action by the Commission. If the application is disapproved, the letter will list the deficiencies with Code references
3. If the application is disapproved by the Commission, the applicant has the ability to resubmit for an additional review of a corrected plan set. Resubmittals will only be accepted on Tuesdays per the adopted Submittal Schedule. The resubmittal will be reviewed for completeness within 5 business days. A resubmittal fee in the amount of \$1,000 is required for each submittal after the first resubmittal. A complete submittal shall include the following:
  - a. Updated plans & supporting documents/materials
  - b. Comment response letter identifying how the comments were addressed
  - c. Submittal Fees (after the 2<sup>nd</sup> review)

**If the items above are NOT provided, then the re-submittal will be not be accepted.**

4. A disapproval or approval letter will be generated within 15 days of the filing date and scheduled for action by the Commission. If the application is disapproved, the letter will list deficiencies with Code references
5. If the application is disapproved, the applicant has the ability to resubmit for an additional review of the corrected plan set. The process listed in item 3 and 4 above shall be repeated.
6. Once the Commission approves the plans, then the final plan set needs to be submitted and routed for signatures.
7. The City will sign the plans and return them to the applicant. The following items will need to be submitted to schedule a pre-construction meeting:
  - a. 2 collated and stapled final copies of the signed plans.
  - b. Scanned copy of the plans on disk. Plans must be scanned at 300 dpi, uncompressed format TIF to original approved scale.
  - c. SWPPP (Reviewed by the Stormwater Inspector)
  - d. A digital version final copies of all support documents (TIA, Drainage Studies, Lift Station Reports, etc)
  - e. Outstanding Fees
  - f. Pre-construction meeting request form
8. A permit will be issued during the pre-construction meeting and construction may start after the issuance of the permit and inspection of erosion controls.








## PUBLIC IMPROVEMENT CONSTRUCTION PLAN CHECKLIST

Please note that this checklist is intended to describe the general scope of construction plan applications. Additional information may be required to assure ordinance compliance. The owner/agent shall initial each line item confirming the requested information is included with this application. All ordinance references are to the Subdivision Ordinance unless otherwise specified.

<b>GENERAL:</b>	Ordinance Reference
<p>___ 1. Each section heading represents a plan sheet associated with the submittal. The following sheets shall be included in the following order:</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Cover Sheet</li> <li><input type="checkbox"/> General Notes</li> <li><input type="checkbox"/> Final Plat</li> <li><input type="checkbox"/> Overall Preliminary Plat</li> <li><input type="checkbox"/> Approved Phasing Plan</li> <li><input type="checkbox"/> Existing Conditions &amp; Demolition Plan</li> <li><input type="checkbox"/> Erosion &amp; Sedimentation Control Plan</li> <li><input type="checkbox"/> Streets &amp; Roadway Systems</li> <li><input type="checkbox"/> Grading &amp; Drainage Plan</li> <li><input type="checkbox"/> Water Distribution System</li> <li><input type="checkbox"/> Wastewater Collection System</li> <li><input type="checkbox"/> Traffic Control, Street Lights, &amp; Signage Plan</li> <li><input type="checkbox"/> Sidewalk Plan</li> <li><input type="checkbox"/> Road &amp; Sidewalk Closure Plan</li> <li><input type="checkbox"/> Standard Details</li> <li><input type="checkbox"/> Parkland Trail Improvements Plan</li> <li><input type="checkbox"/> Landscape Plan</li> </ul>	Art II, Sec 20 (f)
___ 2. All sheets shall be numbered in numeric order without letters (e.g. 1, 2, 3, etc.), not C-1, E-1, etc. These numbers shall be provided in the bottom right corner of every sheet and include the total number of sheets.	Art II, Sec 20 (f)
___ 3. A 2" tall by 3" wide box shall be provided in the bottom right corner of every sheet for an approval stamp and initials (please see layout example in the Cover Sheet section of the application).	Art II, Sec 20 (f)
___ 4. All property lines shall be identified with a solid, heavy, and black line.	Art II, Sec 20 (f)
___ 5. All offsite easements are required to be recorded prior to the approval of the construction plans. Examples of offsite easements may include water, wastewater, or drainage easements. The application is available online at <a href="https://www.leandertx.gov/planning/page/subdivisions-applications-and-checklists">https://www.leandertx.gov/planning/page/subdivisions-applications-and-checklists</a> .	Art II, Sec 20 (f)
___ 6. Provide a note clarifying which improvements will be dedicated to the City and which improvements will be owned and maintained by a private entity.	Art II, Sec 20 (f)
___ 7. Provide the scale (Scale 1" = some number of feet divisible by 10 (not smaller than 1" = 60'), labeled on plan.), a graphic scale, and a north arrow on all sheets.	Art II, Sec 20 (f)
<b>COVER SHEET</b>	Ordinance Reference
<p>___ 1. Title block including the following in the top center of the page. The "Subdivision Name" shall match the preliminary plat and include the phase and section number.</p> <p style="margin-left: 40px;"><i>Subdivision Name</i> Public Improvement Construction Plans Project Number (This number will be assigned during the first review of the plan set)</p>	Art II, Sec 20 (f)
___ 2. Location sketch below the title block. This sketch shall show relation of the subdivision to streets and other prominent features in all directions for a radius of at least one (1) mile using a scale of one inch equals two thousand feet (1"=2,000'). The latest edition of the USGS 7.5 minute quadrangle map is recommended.	Art II, Sec 23 (c)(1)(ii)
<p>___ 3. Project information below the location sketch including the following:</p> <ul style="list-style-type: none"> <li>• Property owner name, address, and phone number</li> <li>• Engineer name, address, and phone number</li> <li>• Surveyor name, address, and phone number</li> <li>• Developer/Agent name, address, and phone number</li> <li>• Filing date</li> <li>• Property information including legal description</li> <li>• Any other associated project numbers such as Development Agreement, Floodplain Development, Site Development, or Final Plat.</li> <li>• List of required offsite easements and recordation numbers</li> </ul>	Art II, Sec 23 (c)(1)(i)
___ 4. Index on the right side of the sheet name and number.	Art II, Sec 20 (f)

\_\_\_ 5. Example cover sheet:



Art II, Sec 20  
(f)

\_\_\_ 6. Include the following signature block in the upper left corner.

APPROVED BY:

_____ Robin M. Griffin, AICP, Executive Director of Development Services	_____ Date
_____ Emily Truman, P.E., CFM, City Engineer	_____ Date
_____ Gina Ellison, P.E., Public Works Director	_____ Date
_____ Mark Tummons, CPRP, Director of Parks and Recreation	_____ Date
_____ Chief Joshua Davis, Fire Marshal	_____ Date

Art II, Sec 23  
(c)(2)

\_\_\_ 7. Revision block below the below including the following.

Revision #	Description	Approval

Art II, Sec 20  
(f)

\_\_\_ 8. Include this engineering responsibility statement below the signature block above.

The Engineer of Record is solely responsible for the completeness, accuracy, regulatory compliance, and adequacy of these plans and/or specifications whether or not the plans and/or specifications were reviewed by the City Engineer(s).

Art II, Sec 23  
(9)(d)(3)

\_\_\_ 9. If an adjacent street is sub-standard or needs widening in accordance with Transportation Plan, right-of-way and pro-rata cost participation is provided. This is typically a payment for half the cost of the full cross-section for the street over the length of the property along the street.

Art 10.03 of  
the code of  
Ordinances

**GENERAL NOTES:**

\_\_\_ 1. Insert the City of Leander General Notes. These notes may be found online at <https://www.leandertx.gov/engineering/page/general-notes>. Insert the most recent notes is included within the general notes sheet. Any changes on the general notes must be highlighted within a cloud and explained within an attached memo.

Ordinance  
Reference  
Art II, Sec 23  
(c)

**FINAL PLAT:**

\_\_\_ 1. Insert draft of the final plat.

Ordinance  
Reference  
Art II, Sec  
23(a)

**OVERALL PRELIMINARY PLAT:**

\_\_\_ 1. Provide the overall layout of the project as shown on the Preliminary Plat.

Ordinance  
Reference  
Art II, Sec 23  
(c)

## APPROVED PHASING PLAN:

	Ordinance Reference
___ 1. Provide the approved phasing plan for the subdivision. Demonstrate that this submittal is in compliance with the plan	Art 13.12 of the code of ordinances

## EROSION & SEDIMENTATION CONTROLS:

	Ordinance Reference
___ 1. Proposed fill or other structure elevating techniques, levees, channel modifications and detention facilities is shown.	Art II, Sec 23 (4)(i)
___ 2. Existing and proposed topographic conditions with vertical intervals not greater than one (1) foot referenced to a United States Geological Survey or Coastal and Geodetic Survey bench mark or monument.	Art II, Sec 23 (4)(ii)
___ 3. The location, size, and character of all temporary and permanent erosion and sediment control facilities with specifications detailing all on-site erosion control measures which will be established and maintained during all periods of development and construction are shown.	Art II, Sec 23 (4)(iii)
___ 4. Contractor staging areas, vehicle access areas, temporary and permanent spoils storage areas are identified.	Art II, Sec 23 (4)(iv)
___ 5. A plan for restoration for the mitigation of erosion in all areas disturbed during construction is provided.	Art II, Sec 23 (4)(v)
___ 6. Identify at least one construction entrance on the erosion and sediment control site plan.	Art II, Sec 23 (4)(iv)
___ 7. Identify the locations of the erosion and sediment controls used on the site. Use standard symbols, specification numbers, and abbreviations as applicable. All items not related to the erosion/sediment control plan must be omitted from the legend and drawing.	Art II, Sec 23 (4)(iv)
___ 8. Identify each phase of the erosion and sediment control plan implementation. Phase I should show the existing conditions with the initial controls. The subsequent phases should be shown in a manner that take into account a logical progression of work while controls are maintained to protect from offsite damage. The final phase should show all temporary controls removed and all permanent controls in place.	Art II, Sec 23 (4)(iii)
___ 9. Provide the following note: <b><i>The City of Leander environmental inspector has the authority to add or modify erosion/sediment controls on site throughout the duration of the project.</i></b>	Art II, Sec 23 (4)(iii)
___ 10. A Maintenance agreement and plan shall be filed in the real property records of the county in which the property is located. A template is available online at: <a href="https://www.leandertx.gov/engineering">https://www.leandertx.gov/engineering</a> . The pond's engineered drawing specification sheet(s) shall be included in the plan as part of the recorded agreement. Documentation of the submittal to the County shall be provided to the City. This plan needs to include the location of the water permanent stormwater control facility such as a water quality or detention pond, and allow the City or its contractors access to the facility for periodic inspection.	Art III, Sec 46 (2)
___ 11. If spoils sites are proposed to remain after subdivision acceptance, include the following notes and confirm that the proposed location meets this criteria. <ol style="list-style-type: none"><li>Fill material originating from the land that is the subject of a subdivision application may be temporarily stored on said land provided that the developer complies at all times with the following requirements:</li><li>The fill material shall be stored at the location shown on the approved construction plans.</li><li>The fill material shall consist of earthen material originating from the subdivision only, shall remain free from debris, and shall be suitable for use as fill material on the future phases of the subdivision. The fill material may not include any material from outside of the subdivision.</li><li>Storage of the fill material shall comply with the Storm Water Pollution Prevention Plan including revegetation of disturbed areas and other sedimentation and erosion controls adopted by the Texas Commission on Environmental Quality.</li><li>The fill material will be placed and stored in such manner so that it is stable, with the side slopes no steeper than a 3:1 (h:v) slope.</li><li>The fill material will be located so as not to disturb any wetland areas that may exist in the subdivision, and will be placed in a manner and location so as not to adversely affect the natural course of drainage across the land or impede drainage from neighboring properties.</li><li>Fiscal surety that complies with Section 28 of this Ordinance in an amount equal to 110% of the cost of removal of the fill material will be filed with the City prior to the acceptance of the subdivision that generates the fill material. The fiscal surety will be based on an estimate prepared by the engineer for the subdivision and approved by the City Engineer.</li><li>The height of the fill material shall not exceed ten (10') feet.</li><li>The location of the fill material must comply with the following setback requirements:<ol style="list-style-type: none"><li>400' setback from major roadways as identified on the Roadway Plan;</li><li>100' setback from all other roadways platted at the time of the fill material pile approval; and</li><li>100' setback from residential structures.</li></ol></li><li>The setback requirements may be reduced by twenty-five (25%) percent if screening of the fill material is provided. Screening includes a six (6') foot privacy fence constructed of cedar</li></ol>	Art III, Sec 48

with steel posts sunk in concrete. The smooth side of the fence shall face away from the fill material.

- j. Permission to store fill material in the subdivision will expire and terminate in the event that a preliminary plat, construction plans, or a final plat for any portion of the land expires, or at such time that the improvements for the last phase of the subdivision are accepted.

**STREET & ROADWAY SYSTEMS:**

	Ordinance Reference
___ 1. The horizontal layouts and alignments showing geometric data and other pertinent design details. The horizontal layout shall also show the direction of storm water flow and the location of manholes, inlets and special structures.	Art II Sec 23 (c)(2)(i)
___ 2. Vertical layouts and alignments showing existing and proposed center line, right and left right-of-way line elevations along each proposed roadway.	Art II Sec 23 (c)(2)(ii)
___ 3. Typical right-of-way cross sections showing pertinent design details and elevations as prescribed in the City Standard Details and Specifications.	Art II Sec 23 (c)(2)(iii)
___ 4. Typical paving sections showing right-of-way width, lane widths, median widths, shoulder widths, and pavement recommendations.	Art II Sec 23 (c)(2)(iv)
___ 5. Attendant documents containing any additional information required to evaluate the proposed roadway improvements, including geotechnical information and traffic impact studies.	Art II Sec 23 (c)(2)(v)
___ 6. Show any transportation improvements required by a TIA on the property.	Art II Sec 23 (c)(2)(vi)

**GRADING & DRAINAGE IMPROVEMENTS:**

	Ordinance Reference
___ 1. Detailed design of all drainage facilities as indicated in the Preliminary Plat phase, including typical channel or paving section, storm sewers and other storm water control facilities.	Art II, Sec 23 (c)(3)
___ 2. Adequate access is provided for maintenance of and repair to drainage facilities.	Art III, Sec 46 (d)
___ 3. Typical channel cross-sections, plan and profile drawings of every conduit/channel shall be shown.	Art II, Sec 23 (c)(3)
___ 4. Existing and proposed topographic conditions indicating one (1) foot contour intervals for slopes less than 5%, two (2) foot contour intervals for slopes between 5% and 10%, and five (5) foot contour intervals for slopes exceeding 10%, and referenced to a United States Geological Survey or Coastal and Geodetic Survey bench mark or monument.	Art II, Sec 23 (c)(3)
___ 5. Attendant documents containing design computations in accordance with the Subdivision Ordinance for the City of Leander, and any additional information required to evaluate the proposed drainage improvements	Art II, Sec 23 (c)(3)
___ 6. A copy of the complete application for flood plain map amendment or revision, as required by the Federal Emergency Management Agency (FEMA), if applicable.	Art II, Sec 23 (c)(3)
___ 7. Non-Residential and Multi-Family Drainage and Detention Facilities: <ul style="list-style-type: none"> <li><input type="checkbox"/> Non-residential and multi-family drainage facilities include all detention ponds, water quality ponds, pond outlet structures, berms, improved channels or other improvements associated with the drainage improvements. Roadside swales, storm sewer outfalls unless visible from a ROW, inlets, and areas of concrete that are no more than one hundred (100) square feet in size are not included.</li> <li><input type="checkbox"/> Non-residential and multi-family drainage facilities are not allowed within ten feet (10') of street ROW except those which are necessary to convey drainage in the shortest possible route to or from street ROW.</li> <li><input type="checkbox"/> Non-residential and multi-family drainage facilities located within the front setback shall not exceed 25% of the area of the front setback.</li> <li><input type="checkbox"/> Any fencing around non-residential and multi-family detention ponds shall be constructed of wrought iron or decorative tubular metal or other similar product.</li> <li><input type="checkbox"/> Structural stabilization including vertical walls and riprap for non-residential and multi-family drainage facilities shall be limited to not more than thirty (30%) percent of the perimeter of the pond excluding outlet structures. The remainder of the perimeter shall be earthen embankment no steeper than 3:1 slope. All exposed concrete that is visible is required to be made of stone or clad in stone including but not limited to ledgerstone, fieldstone, cast stone, or other decorative materials such as stamped and tinted concrete that resembles stone or brick as approved by the Director of Planning. All other exposed concrete is required to be made of stone or clad in stone as listed above or textured and tinted in earthen colors. In the event that the drainage facility is below grade, structural stabilization is permitted for the full perimeter and screening requirements listed in Article VI, Section 1 (d) of this Ordinance shall apply.</li> </ul>	Composite Zoning Art VI Sec 7 (b)

- \_\_\_ 8. Residential Drainage and Detention Facilities:
- ❑ Residential drainage facilities include all detention ponds, water quality ponds, pond outlet structures, berms, improved channels or other improvements associated with the drainage improvements. Roadside swales, storm sewer outfalls unless visible from a ROW, inlets, and areas of concrete that are no more than one hundred (100) square feet in size are not included.
  - ❑ Residential drainage facilities shall utilize earthen berms and be designed with a curvi-linear shape. Any structural stabilization with slopes steeper than 3:1 shall be limited to the use of native stone (except for outlet structures which can be concrete) and shall be limited to not more than thirty (30%) percent of the perimeter of the pond. Such ponds shall be seamlessly integrated with the landscaping. All exposed concrete that is visible is required to be made of stone or clad in stone including but not limited to ledgerstone, fieldstone, cast stone, or other decorative materials such as stamped and tinted concrete that resembles stone or brick as approved by the Director of Planning. All other exposed concrete is required to be made of stone or clad in stone as listed above or textured and tinted in earthen colors. In the event that the drainage facility is below grade, concrete is permitted instead of native stone and screening requirements Article VI, Sec. 1 (d) of this Ordinance shall apply.
  - ❑ Any fencing around residential detention ponds shall be constructed of wrought iron or decorative tubular metal or other similar product.
- \_\_\_ 9. FYI – Maintenance of the drainage and detention facilities are the responsibility of the property owner. The Homeowners Association (HOA) will be responsible for the maintenance of these facilities for residential subdivisions.

**WATER DISTRIBUTION SYSTEMS:**

	Ordinance Reference
___ 1. The layout, size, and specific location of the existing and proposed water mains, pump stations, storage tanks, and other related structures sufficient to serve the proposed land uses and development as identified in the Preliminary Plat phase and in accordance with the City Standards and Details and Specifications.	Art II, Sec 23 (c)(5)
___ 2. Provide an overall layout of the water distribution system.	Art II, Sec 23 (c)(5)
___ 3. Plan and profile drawings for the public water utility showing existing ground level elevation at centerline of pipe, pipe size and flow line elevation at all fittings, restraints, any conflicts with other underground elements such as conflicting utilities with accurate dimension between outer diameter of the proposed utility and the outer edge of the conflicting element, drops, turns, at minimum of 50 foot stationing.	Art II, Sec 23 (c)(5)
___ 4. The existing and proposed location of fire hydrants, valves, backflow devices, meters, and other fittings.	Art II, Sec 23 (c)(5)
___ 5. Design details showing the connection with the existing City water system.	Art II, Sec 23 (c)(5)
___ 6. The specific location and size of all water service connections for each individual lot. Note: backflow preventers are required after all water meters (domestic, commercial, fire, irrigation, etc)	Art II, Sec 23 (c)(5)
___ 7. Attendant documents containing any additional information required to evaluate the proposed water distribution system.	Art II, Sec 23 (c)(5)
___ 8. Label the static pressure for the highest and lowest lot in the subdivisions. The highest lot should be based on mid tank condition and the lowest lot should be based on full tank condition.	Art II, Sec 23 (c)(5)

**WASTEWATER COLLECTION SYSTEMS:**

	Ordinance Reference
___ 1. The layout, size and specific location of the existing and proposed wastewater lines, manholes, lift stations, and other related structures sufficient to serve the land uses and development as identified in the Preliminary Plat phase, in accordance with all current City standards, specifications, and criteria for constructions of wastewater systems.	Art II, Sec 23 (c)(6)
___ 2. Provide an overall layout of the wastewater distribution system.	Art II, Sec 23 (c)(6)
___ 3. Plan and profile drawings for each line in public right-of-ways or public utility easements, showing existing ground level elevation at center line of pipe, pipe size and flow line elevation at all bends, any conflicts with other underground elements such as conflicting utilities with accurate dimension between outer diameter of the proposed utility and the outer edge of the conflicting element,, drops, turns, and station numbers at fifty (50) foot intervals.	Art II, Sec 23 (c)(6)
___ 4. Design details for manholes and special structures. Flow line elevations shall be shown at every point where the line enters or leaves the manholes.	Art II, Sec 23 (c)(6)
___ 5. Detailed design for lift stations, package plants or other special wastewater structures.	Art II, Sec 23 (c)(6)
___ 6. Attendant documents containing any additional information required to evaluate the proposed wastewater system, and complete an application for State Health Department approval.	Art II, Sec 23 (c)(6)

## TRAFFIC CONTROL, STREET LIGHTS & SIGNS:

	Ordinance Reference
___ 1. If applicable, a Site specific minimum Traffic Control Plan shall be submitted as part of this set of plans.	Art II, Sec 23 (c)(8)
___ 2. The location, size, type and description of street lights according to City Standard Details and Specifications.	Art II, Sec 23 (c)(8)
___ 3. The electrical design signed and sealed by an engineer for the LED street light system on a metered circuit.	Art II, Sec 23 (c)(8)
___ 4. The location, size, type and description of street signs according to City Standard Details and Specifications	Art II, Sec 23 (c)(9)
___ 5. Show pavement markings and location of stop bars and other markings (if applicable) as required in the latest version of the Texas Manual Uniform Traffic Control Devices.	Art II, Sec 23 (c)(9)
___ 6. Provide City of Leander street sign detail.	Art II, Sec 23 (c)(9)
___ 7. The location, size (where applicable) and type of speed limit signs and permanent traffic barricades according to City Standard Details and Specifications.	Art II, Sec 23 (c)(10)

## ROAD & SIDEWALK CLOSURE PLAN:

	Ordinance Reference
___ 1. Provide a road closure plan if a road closure is necessary during construction. This will also be noted within the minimum Site Specific Traffic Control Plan.	Art II, Sec 23 (c)(11)
___ 2. If an existing sidewalk is required to be closed during construction, provide an alternative plan.	Art II, Sec 23 (c)(11)
___ 3. Provide a sidewalk control plan to demonstrate alternative routes during construction if access to the sidewalk is disrupted.	Art II, Sec 23 (c)(11)
___ 4. If the project impacts existing school zones, they include any necessary signage and/or striping.	Art II, Sec 23 (c)(11)

## SIDEWALKS:

	Ordinance Reference
___ 1. The location, size and type of sidewalks and pedestrian ramps according to City Standard Details and Specifications.	Art II, Sec 23 (c)(11)
___ 2. Those sidewalks not abutting a residential, commercial or industrial lots (including sidewalks along street frontages of lots proposed for schools, churches, park lots, detention lots, drainage lots, landscape lots, or similar lots), sidewalks on arterial streets to which access is prohibited, sidewalks on double frontage lots on the side to which access is prohibited, and all sidewalks on safe school routes are shown on the plans to be installed with the subdivision improvements.	Art II, Sec 28 (c)(2)
___ 3. Provide a sidewalk plan labeling the sidewalks to be built by the homebuilder and sidewalks to be built by the subdivision developer.	Art II, Sec 28 (c)(2)
___ 4. Provide a note on the plans stating: <b><i>For single-family residential subdivisions that are not registered with TDLR, provide documentation from a Registered Accessibility Specialist (RAS) that the pedestrian infrastructure within the public right-of-way complies with the Texas Accessibility Standards.</i></b>	Art II, Sec 23 (c)(11)
___ 5. Provide a note stating that turf grass is prohibited in strips of land less than six (6') feet in width between sidewalks and pavement.	Composite Zoning Art VI, Sec 1 (b)(4)

## STANDARD DETAILS:

	Ordinance Reference
___ 1. Insert the applicable City of Leander Standard Details. These details may be found online at <a href="http://www.leandertx.gov/engineering/page/standard-details">http://www.leandertx.gov/engineering/page/standard-details</a> .	Art II, Sec 23 (c)
___ 2. No more than 8x 8-1/2"x11" or 4x 11"x17" size detail sheets may be included on any one 22-24"x34-36" plan sheet.	Art II, Sec 23 (b)

## PARKLAND, IMPROVEMENTS & OTHER PUBLIC OR COMMON AREAS:

	Ordinance Reference
___ 1. Proof of HOA establishment (One copy of the homeowner's association creation documents including responsibilities for park and/or landscaped entrance maintenance is provided if such facilities are provided.	Art IV, Sec 61 (d)
___ 2. Proof of Ownership, Dedication, Perpetual Use & Maintenance (Provide a recorded deed, agreement, conveyance and/or restrictions demonstrating that the private park land and facilities are restricted to park and recreational purposes by a recorded covenant that runs with the land in favor of the future owners of property that cannot be defeated or eliminated without the consent of the City Council. The recorded deed, agreement, conveyance and/or restrictions should adequately provide for private ownership and perpetual maintenance.)	Art IV, Sec 61 (d)

- |     |  |   |
|-----|--|---|
| ___ | 3. Fiscal Guarantee of Completion (Provide a fiscal note covering the cost of constructing all park improvements shown on the approved <i>Park Concept Plan</i> . If phasing is planned the fiscal note should cover all improvements and phases.) | Art IV, Sec 61<br>(i)                       |
| ___ | 4. Show all facilities included on the approved <i>Park Concept Plan</i> and label improvement phases, if applicable.  | Art II, Sec 23<br>(c)(12)                   |
| ___ | 5. Plans for public trail systems as required by the Parks Open Space & Master Plan.   | Art II, Sec 23<br>(c)(12)                   |
| ___ | 6. Demonstrate that the addition of new turf grass is limited to fifty (50%) percent of landscape lots, open space lots, HOA lots, and parkland lots.  | Composite<br>Zoning Art VI,<br>Sec 1 (b)(4) |

## TREE PROTECTION PLAN

- |     |   |   |
|-----|---|---|
| ___ | 1. Include the approved Tree Protection Plan from the Preliminary Plat. If changes are proposed or a Preliminary Plat was not required the following Required Items need to be provided: <ul style="list-style-type: none"> <li><input type="checkbox"/> Tree survey prepared within the past 5 years of the application date with the street and lot layout superimposed at a scale of 1"=100' (or as appropriate). This plan shall demonstrate the lot lines and street layouts have been designed and located and that lot width, depth, and size flexibility (as permitted by the zoning) has been utilized to the maximum extent necessary to retain the maximum number of significant and heritage trees possible.</li> <li><input type="checkbox"/> Trees to be preserved shall be identified with a solid black circle. Trees to be removed shall be identified with a dashed black circle. Use red to indicate trees proposed for removal and green for trees proposed to be protected.</li> <li><input type="checkbox"/> A separate sheet shall be provided that demonstrates the location of all heritage trees. All heritage trees that are proposed for removal shall be identified with a red circle and trees proposed to be protected with a green circle. All tree ID numbers shall be provided within the circle to clearly identify the tree as listed in the tree list.</li> <li><input type="checkbox"/> The tree list shall be provided that includes all of the trees that were surveyed except for cedars, bois d'arc, hackberry, and other trees that are not considered to be significant trees by the ordinance. This tree list shall be formatted as follows. Highlight all rows that include the proposed removal of a heritage tree.</li> </ul> | Ordinance<br>Reference<br>Art II, Sec 22<br>(c)(2)(iii) |
|-----|---|---|

Tree Number	Tree Type	Caliper Inch	Removed	Protected	Heritage	Reason for Removal
####	Live Oak	29"		29"	Y	
####	Cedar Elm	18"	18"			
####	Live Oak	32"	32"		Y	

- |     |   |                               |
|-----|---|-------------------------------|
| ___ | <ul style="list-style-type: none"> <li><input type="checkbox"/> A table shall be provided that summarizes the total number of trees protected, removed, and the percentages.</li> <li><input type="checkbox"/> Approval of removal permits shall be based on the following: <ul style="list-style-type: none"> <li>a. Tree size/number of trunks;</li> <li>b. Tree health and viability;</li> <li>c. Tree location;</li> <li>d. Other Significant and Heritage Trees to be preserved on site; and</li> <li>e. Whether all reasonable efforts have been made to design the project in a way to preserve Significant and Heritage Trees on site.</li> </ul> </li> <li><input type="checkbox"/> Provide the following note:<br/> <p style="margin: 0;"><b><i>In the event of a conflict with tree removal/preservation call outs on plan sheet(s) versus tree removal/preservation matrix, the tree removal/preservation matrix shall apply. It is the contractors responsibility to verify with City staff should any inconsistency exist within an approved plan set. No in-field changes are made to approved plans, no exceptions.</i></b></p> </li> </ul> |                               |
| ___ | 2. Tree Mitigation Requirements: <ul style="list-style-type: none"> <li><input type="checkbox"/> Up to fifty (50%) percent of Significant Trees between eight (8) and twenty-six (26) caliper inches may be removed without mitigation for single-family and two- family subdivisions.</li> </ul>   | Art II, Sec 22<br>(c)(2)(iii) |
| ___ | 3. Significant Tree Removal Permit <ul style="list-style-type: none"> <li><input type="checkbox"/> The Director of Planning may issue a tree removal permit for the removal of Significant Trees to the owner of a property that is zoned or otherwise authorized and actively used for agricultural purposes if it is demonstrated that the tree removal is for a legitimate agricultural purpose. The tree mitigation requirements of this ordinance shall not apply to such permits. If the property is rezoned or otherwise converted to a non-agricultural use within three years of the issuance of the tree removal permit the owner of the property shall be required to meet the tree mitigation requirements of this ordinance.</li> <li><input type="checkbox"/> Removal of Significant Trees greater than eighteen (18) caliper inches requires the approval of the Planning &amp; Zoning Commission or the approval of an alternative tree preservation plan as described in this ordinance for projects other than single-family or two-family.</li> </ul>  | Art II, Sec 22<br>(c)(2)(iii) |



<p>___ 4. A non-disturbance zoning shall be maintained for single-family and two-family developments. A disturbance area of no more than five (5') feet from the foundation necessary for construction and grade transitions, this disturbance zoning is increased to ten (10') feet from the foundation for lots zoned with the SFR use component. Trees may be proposed for removal on the building pads at the construction plan phase, this tree removal shall be include in the protection plan and mitigation requirements shall apply.</p>	<p>Composite Zoning Art VI, Sec 1 (c)(8)</p>
<p>___ 5. Mitigation for the removal of a Heritage or Significant Tree</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> The removal of Heritage and Significant Trees shall require mitigation using the calculations and procedures defined below. Mitigation may be achieved through credit of existing trees on site, replacement trees planted on-site, or payment-in-lieu of replacement trees if approved by the Planning Director when on-site replacement is not possible or practical. <ul style="list-style-type: none"> <li>a. Mitigation shall be required at a 1:1 caliper inch basis for significant trees between eight (8) and eighteen (18) caliper inches.</li> <li>b. Mitigation shall be required at a 2:1 caliper inch basis for significant trees greater than eighteen (18) caliper inches and less than twenty-six (26) caliper inches.</li> <li>c. Mitigation shall be required at a 3:1 caliper inch basis for Heritage Trees and a mitigation fee in the amount of \$300.00 per caliper inch removed.</li> <li>d. If payment in lieu of replacement trees is approved by the Planning Director, the fee shall be equal to one hundred fifty dollars (\$150) per caliper inch of replacement tree.</li> <li>e. Fee credits are available for mitigation trees that are planted on site that are 2 caliper inches measured at 4 feet in height.</li> </ul> </li> </ul>	<p>Art II, Sec 22 (c)(2)(iii)</p>
<p>___ 6. Replacement Trees</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Replacement trees shall be a minimum of two (2) caliper inches and identified on the City of Leander preferred plant list or included in the Grow Green Guide for Native and Adaptive Landscape Plants published by the City of Austin Watershed Protection and Texas A&amp;M AgriLife Extension, as amended from time to time.</li> </ul>	<p>Art II, Sec 22 (c)(2)(iii)</p>

**LANDSCAPE PLAN – TREES SCREENING, & LANDSCAPING:**

	Ordinance Reference
<p>___ 1. The location, size and description of all Significant Trees (to remain or to be removed), and Replacement Trees to meet the requirements of the City of Leander Subdivision Ordinance. Replacement trees must be of a type and species listed on the Preferred Plant List associated with the Composite Zoning Ordinance.</p>	<p>Art II, Sec 23 (c)(13)</p>
<p>___ 2. The location, size and description of all landscaping and screening materials as required by the City of Leander Composite Zoning Ordinance and must be of a type and species listed on the Preferred Plant List.</p>	<p>Art II, Sec 23 (c)(14)</p>
<p>___ 3. For single family or duplex lots that side up or back up to a major arterial roadway, a masonry wall at least six feet tall in conformance with the Leander Composite Zoning Ordinance is shown on the plans for construction with the subdivision improvements.</p>	<p>Art III, Sec 45 (a)(4)</p>
<p>___ 4. Include the following notes on the Landscape Plan:</p>	
<p><b><i>Mechanical equipment shall be screened from view of at least sixty (60%) percent of any street or public right-of-way.</i></b></p>	<p>Composite Zoning Art VI, Sec 1 (d)(1)(i)</p>
<p><b><i>Tree caliper is the trunk diameter of a tree at twelve (12") inches above natural grade per the Composite Zoning Ordinance.</i></b></p>	<p>Composite Zoning Art I, Sec 6</p>
<p><b><i>A minimum 6-inch topsoil depth will be provided in all landscaped areas and mulch will be provided around plantings.</i></b></p>	<p>Composite Zoning Art VI, Sec 1 (b)(20) &amp; (21)</p>
<p><b><i>All new landscapes (non-residential and residential) are required to have a minimum of six inches (6") of soil depth in areas planted with turfgrass. This six-inch (6") minimum soil depth will consist of 75 percent soil blended with 25 percent compost. The soil/compost blend shall be incorporated into the top two inches of the native soil. The six-inch (6") depth requirement does not apply to the area between the drip line and trunk of existing trees, shrub beds or wildscape areas. Areas with existing native vegetation that remain undisturbed shall be exempt from the soil depth provision; provided that native soil and vegetation in such area is fenced during construction and protected from disturbance and compaction during the construction process.</i></b></p>	<p>Composite Zoning Art VI, Sec 1 (b)(20) &amp; (21)</p>
<p><b><i>Turf grass is prohibited in strips of land less than six (6') feet in width between sidewalks and pavement.</i></b></p>	<p>Composite Zoning Art VI, Sec 1 (b)(4)</p>
<p><b><i>Turf grass shall be limited to fifty (50%) percent of landscape lots, open space lots, greenspace lots, HOA lots, and parkland lots.</i></b></p>	<p>Composite Zoning Art VI, Sec 1 (b)(4)</p>
<p>___ 7. Provide the location and species of all required street trees on every street in accordance with all current City standards, specifications and criteria for the installation of street trees.</p>	<p>Art II, Sec 23 (c)(15)</p>

___ 8. Provide a root barrier detail for all street trees if proposed.	Art II, Sec 23 (c)(15)
___ 9. Include the wall detail and elevation for any required screening walls.	Art II, Sec 23 (c)(14)
___ 10. Provide screening for detention or water quality ponds.	Composite Zoning Art VI Sec 7 (b) & (c)
___ 11. Provide an approved License Agreement associated with any landscaping, irrigation, or signage located in the public right-of-way.	

### DESIGN CRITERIA:

	Ordinance Reference
___ 1. Final design criteria, reports, calculations and all other related computations, if not previously submitted with the Preliminary Plat.	Art II, Sec 23 (c)
___ 2. Site specific design criteria, reports, calculations and all other related computation shall be presented specific to the public improvements, and if applicable, compared to previously established conditions as presented within the preliminary plat stage. If there is not any previous preliminary plat nor the existing information presented during an accepted earlier stage of development, then it shall be submitted in this stage.	Art II, Sec 23 (c)

### COST ESTIMATE:

	Ordinance Reference
___ 1. A cost estimate of each required improvement, prepared, signed and sealed by a professional engineer licensed to practice in the State of Texas.	Art II, Sec 23 (c)(17)
___ 2. Verification and adjustment of the construction cost is required prior to City acceptance. A final engineer's signed and sealed certified copy of the final cost of all improvements dedicated to the City or equivalent private infrastructure is required in the close out package as part of the final acceptance.	Art II, Sec 23 (c)(17)

### FINAL SUBMITTAL REVIEW – ALTERNATIVE REVIEW PROCEDURE

To expedite the review process, staff has implemented a Final Submittal Review Process. This process replaces the regular review cycle and submittal cycle. Only projects that are subject to the Alternative Review Procedure are eligible for this process. Instead of providing a formal submittal, the applicant may submit the items listed below for an expedited review. Projects are eligible for final submittal review when there are only a few minor comments remaining. Staff will notify the applicant in the comment letter when they are eligible.

Items to submit through the Development Hub:

- One final set of plans
- A comment response letter indicating how the staff comments were addressed.

### REQUIREMENTS FOR ISSUANCE OF CONSTRUCTION PLAN PERMIT

- Submittal of one final set of plans for signatures. These plans will be returned to the applicant after they are approved and signed.
- The Erosion Control Inspection must be completed prior to scheduling the pre-construction meeting. Please contact the Stormwater Inspector to schedule.
- To schedule a pre-construction meeting, the following items must be provided:
  1. Two printed copies of the approved and signed plans.
  2. Upload the following items to the Development Hub:
    - o Scan of the final approved site development plan as a PDF and AutoCAD formats. Plans must be scanned at 300 dpi to the original approved scale.
    - o Storm Water Pollution Prevention Plan (SWPPP) for review by the Stormwater Inspector
    - o All final copies of engineering reports and memos (ex. Drainage Report, TIA, Geotech Report, Lift Station Report, etc)
  3. Submittal of any outstanding fees including roadway improvement fees and review fees.
  4. Approved SWPPP. Prior to the City's approval of the site development permit, provide documentation from the appropriate water quality regulating entity, TCEQ Edwards Aquifer or LCRA Highland lakes, that the project is approved or exempt.
- The Construction Plan Permit shall be issued during the pre-construction meeting.
- Upon receipt of the final copies of the plans, the approved SWPPP, and the completion of the Erosion Control Inspection, a pre-construction meeting will be scheduled.
- **Construction may not start until after the pre-construction meeting and the Construction Plan Permit is issued.**

## CONFLICT OF INTEREST DISCLOSURES

---

Please submit at the time of submission of application and update disclosures within 7 business days after the date of an event that would make a statement in the questionnaire incomplete or inaccurate.

### **ARTICLE 9.05, CITY CODE OF ORDINANCES – CODE OF ETHICS:**

<http://z2codes.franklinlegal.net/franklin/Z2Browser2.html?showset=leanderset>

#### ▪ **Ethics Ordinance – Disclosure Statements**

The City's Ethics Ordinance requires persons seeking to enter discretionary contracts with the City or appearing before the City Council or another City board or body to disclose certain relationships and conflicts of interest. The relevant sections of the Ethics Ordinance are set forth below. The Ethics Ordinance can be found in Article 9.05, Chapter 9 of the City's Code of Ordinances at the above link.

#### **Sec. 9.05.007 Persons doing business with the city**

##### (a) Persons seeking discretionary contracts.

- (1) For the purpose of assisting the city in the enforcement of provisions contained in this article, an individual or business entity seeking a discretionary contract from the city is required to disclose in connection with a proposal for a discretionary contract any conflict of interest. This is set forth in [sections 9.05.004](#) and [9.05.005](#) of this article. Further, the individual or business entity agree to abide by the same ethical standards as set forth for public servants in this article.
- (2) Subsection (a) of this section will become a permanent footnote on documents contained in city bid packets for discretionary contracts.

##### (b) Disclosure of conflicts of interest by persons appearing before a board or city body. A person appearing before any city board or other city body for the purpose of doing business with the city shall disclose to that board or body any facts known to such person which may show or establish that:

- (1) An employee or officer of the city that advises or makes presentations to the board or city body; or
- (2) Any member of the board or city body;

has or may have a conflict of interest pursuant to chapter 171, Tex. Loc. Gov't. Code, or an interest which would violate the ethical standards set forth in this article, if he or she were to participate in the processing or consideration of the subject matter.

**Sec. 9.05.009(f)** Disclosure by persons appearing before a city body. Any person who appears before any city body who has had business dealings within the preceding 12-month period involving one or more transactions of five hundred dollars (\$500.00) or more each quarter, or for a total of twenty-five hundred dollars (\$2,500.00) or more, within the preceding 12-month period with a councilmember, commissioner, or business entity in which a councilmember or commissioner has a substantial interest, shall disclose such business dealings at the time of the appearance. Any person who shall intentionally or knowingly fail to make the aforesaid disclosure shall be guilty of a misdemeanor and shall be fined in accordance with this article.

**ALTERNATIVE REVIEW / EXPEDITED PROCEDURE REQUEST**

I hereby request that the Alternative Review Procedure schedule is applied to this project. I understand that I have the right to switch to the Standard Review Procedure by written request submitted on the day designated for acceptance of applications in the Submittal Schedule.

**Owner Name (Company or Individual):** \_\_\_\_\_

**Contact Name:** \_\_\_\_\_

*(If property ownership is in the name of a partnership, corporation, joint venture, trust or other entity, please list the official name of the entity and the name of the managing partner.*

Phone: \_\_\_\_\_ Mobile: \_\_\_\_\_

Address: \_\_\_\_\_ City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_

Email: \_\_\_\_\_

**Owner's Signature:** \_\_\_\_\_ **Date:** \_\_\_\_\_

THE STATE OF \_\_\_\_\_ §  
COUNTY OF \_\_\_\_\_ § KNOW ALL MEN BY THESE PRESENTS §

Before me, \_\_\_\_\_, on this day personally appeared \_\_\_\_\_, known to me to be the person whose name is subscribed to the foregoing instrument and acknowledged to me that he or she executed the same for the purposes and consideration therein expressed.

Given under my hand and seal of office this \_\_\_\_\_ day of \_\_\_\_\_.

Notary Public's Signature \_\_\_\_\_  
My Commission Expires: \_\_\_\_\_

**30 DAY WAIVER REQUEST**

I hereby request that a 30 day extension is granted to the 30 day review period for this application in order to allow for more time for the submittal and review process.

**Owner Name (Company or Individual):** \_\_\_\_\_

**Contact Name:** \_\_\_\_\_

*(If property ownership is in the name of a partnership, corporation, joint venture, trust or other entity, please list the official name of the entity and the name of the managing partner.*

Phone: \_\_\_\_\_ Mobile: \_\_\_\_\_

Address: \_\_\_\_\_ City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_

Email: \_\_\_\_\_

**Owner's Signature:** \_\_\_\_\_ **Date:** \_\_\_\_\_

THE STATE OF \_\_\_\_\_

§

KNOW ALL MEN BY THESE PRESENTS

COUNTY OF \_\_\_\_\_

§

§

Before me, \_\_\_\_\_, on this day personally appeared \_\_\_\_\_, known to me to be the person whose name is subscribed to the foregoing instrument and acknowledged to me that he or she executed the same for the purposes and consideration therein expressed.

Given under my hand and seal of office this \_\_\_\_\_ day of \_\_\_\_\_.

Notary Public's Signature \_\_\_\_\_

My Commission Expires: \_\_\_\_\_